

Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List) Chauvet Quick Dissipating Fog Fluid (QDF)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufactured exclusively for: Chauvet	24 hour Emergency Telephone Contact Number Chemtrek Domestic North America- 800-424-9600 International: 703-527-3887 (collect calls accepted)
Address (Number, Street, City, State, and ZIP Code) 5200 NW 108 th Avenue Sunrise, FL 33351	Telephone Number for Information 954-577-4455
	Date Prepared April, 2013
	Signature of Preparer (optional)

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended
This product does not contain any hazardous components.			
Caution: Known asthmatics or people having a low tolerance to fog products may be temporarily affected by a fog-filled environment. Use responsible levels of concentration in well-ventilated areas to create mist, not dense fog. Do not point fog machines directly into audience. Liquid not for internal consumption. Keep out of the reach if children.			

Section III - Physical/Chemical Characteristics

Boiling Point	288°C	Specific Gravity (H ₂ O = 1)	1.126
Vapor Pressure (mm Hg.)	<0.01	Melting Point	N/A
Vapor Density (AIR = 1)	6.2	Evaporation Rate (Butyl Acetate = 1)	<0.001
Solubility in Water 100%			
Appearance and Odor Transparent colorless.			

Chauvet Quick Dissipating Fog Fluid (QDF)

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 375°F	Flammable Limits	LEL	UEL
Extinguishing Media Use carbon dioxide or dry chemical media for small fires.			
Special Fire Fighting Procedures Do not direct a solid stream of water or foam into hot, burning pocis; this may cause frothing and increase fire intensity. Use self-contained breathing apparatus and protective clothing.			
Unusual Fire and Explosion Hazards None Known			

Section V - Reactivity Data

Stability:	Stable	X	
	Unstable		
Incompatibility (<i>Materials to avoid</i>) Explosive decomposition may occur if combined with strong acids or strong bases are subjected to elevated temperatures. Therefore, avoid strong acids and strong bases at elevated temperatures. Avoid contamination with strong oxidizing agents and materials reactive with hydroxyl compounds.			
Hazardous Decomposition or Byproducts Carbon monoxide and/or carbon dioxide.			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI – Health Hazard Data

Route(s) of Entry:

Eyes: Flush with water for at least 15 minutes.	Inhalation: Exhale contaminated air – inhale fresh air.	Skin: Wash with soap and water.	Ingestion: Consult Physician
Carcinogenicity: Not listed	NTP? Not listed	IARC Monographs? Not listed	OSHA Regulated? Not listed
Signs and Symptoms of Exposure Swallowing: Abdominal discomfort, nausea and vomiting may occur. Skin absorption: No evidence of harmful effects from available information. Inhalation: Short-term health effects are not expected from vapor generated at ambient temperature. Skin contact: Sustained contact may cause mild local redness. Eye Contact: No harmful effects expected from liquid. Vapor or mist may be irritating, experienced as discomfort, excess blinking and tear production, with excess redness of the conjunctive.			
Emergency and First Aid Procedures See above			

Chauvet Quick Dissipating Fog Fluid (QDF)
Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Small spills can be flushed with large amounts of water, larger spills should be collected for disposal.
Waste Disposal Method Incinerate in a furnace where permitted under federal, state, and local regulations.
Precautions to Be taken in Handling and Storing Keep container closed. Wash thoroughly after handling.

Section VIII – Control Measures

Respiratory Protection (<i>Specify Type</i>) None needed.		
Ventilation General	Local Exhaust	Special
	Mechanical (<i>General</i>)	Other
Protective Gloves PVC - Coated		Eye Protection Monogoggles or Face shield
Other Protective Clothing or Equipment Eye bath, Safety shower.		
Work/Hygienic Practices Good hygiene practices		

This information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.