

7MM THEATRICAL RIGGING CHAIN

7mm Theatrical Rigging Chain

- Readily compatible with standard 1/4" chain hardware
- Grade 63 alloy material with 0.27" diameter and 3,250 lbs. working load limit
- Heat treated with each link proof tested to ensure weld & material integrity
- A6 and traceability code every 10 links & TC on the back of each link
- Manufactured and tested in accordance with ASTM A413
- Black TRAC™ finish
- Made in the USA



WWW.PEERLESSCHAIN.COM | 800-873-1916

CHAIN

All specifications, dimensions and drawings are available at www.peerlesschain.com, or call our Customer Service staff for friendly and expert advice on models and options.

7MM THEATRICAL RIGGING CHAIN

PRODUCTS SPECIFICATIONS

Product	Package Type	Trade Size mm	Wire Dia. (in)	Inside Dim. Length (Nominal) (in.)	Inside Dim. Width (Min) (in.)	Ft. Per Package	Net Wt. (Lbs.)	Working Load Limit (Lbs.)	Working Load Limit (kg)
8611517	Drum	7	0.27	1.24	0.49	800	516	3250	1474
8612646	Drum	7	0.27	1.24	0.49	100	65	3250	1474





WWW.PEERLESSCHAIN.COM | 800-873-1916

CHAIN

All specifications, dimensions and drawings are available at www.peerlesschain.com, or call our Customer Service staff for friendly and expert advice on models and options.