



Freedom Wedge Quad

The Freedom family of CHAUVET DJ fixtures means 100% TRUE wireless, battery-operated products with built-in D-Fi™ transceivers to send and receive wireless DMX signals. Freedom Wedge Quad harnesses that power into a triangularly shaped quad-color LED wash light designed to fit inside triangular truss systems. The light has a built-in adjustable leg to shine light where it's needed, and Freedom Wedge Quad can be attached to 35 mm truss without the need for brackets using M10 or M12 threaded rig points. Create any color without DMX by using the built-in digital display or easily control static colors and automated programs with the included [IRC-6 remote](#). Freedom Wedge Quad features built-in dimming curves for smooth dimming and its flicker-free output is perfect for on-camera use. Create coordinated light shows by linking other quad-color LED fixtures in Master/Slave mode.



Highlights

- 100% TRUE wireless, battery-operated, quad-color LED Par with built-in D-Fi™ transceiver
- Triangular-shaped LED wash light designed to fit inside triangle truss systems from most manufacturers
- Attaches to 35 mm truss without the need for bracket using M10 or M12 threaded rig points
- Shine light where it is needed using the built-in adjustable leg
- Easily control static colors and automated programs with the included IRC-6 remote
- Create any color without DMX by using the built-in digital display
- Smooth dimming with built-in dimming curves
- Flicker-free operation suitable for on-camera use
- Create coordinated light shows by linking other quad-color LED fixtures in Master/Slave mode

Specifications

- DMX Channels: 4, 6, 10
- DMX Connectors: 3-pin XLR
- Light Source: 3 LEDs (quad-color RGBA) 6 W, (2.4 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 25 Hz
- PWM Frequency: 1.2 KHz
- Beam Angle: 19°
- Field Angle: 36°
- Maximum Run Time: (all on): up to 8 hours
(single color): up to 20 hours
- Recharge Time: 5 hours
- Operating Frequency: 2.412 to 2.484 GHz
- Illuminance: 1,144 lux @ 2 m
- Power Linking: 21 units @ 120 V; 39 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 43 W, .4 A @ 120 V, 60 Hz
47 W, .2 A @ 230 V, 50 Hz
- Weight: 3.8 lb (1.8 kg)
- Size: 4.4 x 4.4 x 6.6 in (117 x 117 x 166.5 mm)
- Approvals: CE, FCC
- Optional Controllers: IRC-6

What's Included

- Freedom Wedge Quad
- Power cord
- Quick Reference Guide
- IRC-6